Web   Images   Video   News   Maps   **more »**

Google | large database object LOB replication "high av   [Search]   Advanced Search
                                                                                        Preferences

Web Results **1 - 100** of about **25,500** for **large database object LOB replication "high availability"**. (0.26 sec

Database Replication
www.DataMirror.com   Fast, efficient data **replication**. Integrate and
protect your data.

DBAsupport.com : Oracle 10g Central : Very **Large Databases** and ...
Very **Large Databases** and **High Availability** Evaluating **Replication**
Options ... Advanced **replication** allows **database objects** like indexes
and procedures, ...
www.dbasupport.com/oracle/ora10g/VLDB01.shtml - 60k - Nov 13, 2006 -
Cached - Similar pages

Enterprise **Replication** Data Types
Instead, Enterprise **Replication** retrieves the **large object** data directly from the blobspace
or sbspace before sending the data to the target **database** server ...
publib.boulder.ibm.com/infocenter/idshelp/v10/topic/com.ibm.erep.doc/erep68.htm - 28k -
Cached - Similar pages

IBM Informix Dynamic Server v10.0 Information Center
Smart **Large Objects** in the **Database** Server ... Enterprise **Replication** and **High-
Availability** Data **Replication** Connection Security Option ...
publib.boulder.ibm.com/infocenter/ids9help/index.jsp - 977k - Cached - Similar pages
[More results from publib.boulder.ibm.com]

Ross Group Inc - Quick-List Oracle
Database External Storage **Database** Industry Tools **Database** Internal Storage **Database**
Replication Database Servers Enterprise Applications, **High Availability** ...
www.rossgroupinc.com/readweb.asp?wid=3085 - 38k - Cached - Similar pages

11 Migrating Table Columns from LONGs to LOBs
Oracle® **Database** Application Developer's Guide - **Large Objects** ... **Replication** is
allowed on **LOB** columns, but is not supported for LONG and LONG RAW columns ...
www.stanford.edu/dept/itss/docs/oracle/10g/appdev.101/b10796/adlob_lo.htm - 43k -
Cached - Similar pages

2 Oracle **Database** 10 g Documentation
Oracle **Database** Application Developer's Guide - **Large Objects**, B10796-01, Describes
use of **large object (LOB)** datatypes **BLOB, CLOB**, NCLOB, ...
www.stanford.edu/dept/itss/docs/oracle/10g/server.101/b10750/chapter2.htm - 81k -
Cached - Similar pages
[More results from www.stanford.edu]

Microsoft TechNet: Planning for Reliability and **High Availability** ...
SQL Server offers **replication** options such as snapshot **replication** and transactional ... It
caches the Predictor resource Binary **Large Object (BLOB)**. ...
www.microsoft.com/technet/prodtechnol/comm/comm2000/plan/csreliab.mspx - 122k -
Cached - Similar pages

Commerce Server 2000: Reliability and **High Availability** Planning

Google

Web Images Video News Maps **more »**

large database object LOB "random access"	Search	Advanced Search
		Preferences

Web   Results 1 - **100** of about **32,400** for <u>large **database** **object** **LOB** "**random** **access**"</u>. (0.31 seconds)

1 Introduction to **Large Objects**
Random piece-wise access: LOBs support **random access** to data, ... **CLOB**. Character
Large Object. Stores string data in the **database** character set format. ...
www.stanford.edu/dept/itss/docs/oracle/10g/appdev.101/b10796/adlob_in.htm - 32k -
<u>Cached</u> - <u>Similar pages</u>

8 I/O Configuration and Design
The I/O subsystem is a vital component of an Oracle **database**. ... If the rows are **large**,
such as rows containing **large object (LOB)** data, then choose a ...
www.stanford.edu/dept/itss/docs/oracle/10g/server.101/b10752/iodesign.htm - 44k -
<u>Cached</u> - <u>Similar pages</u>
[<u>More results from www.stanford.edu</u>]

Large-Object Data Types
When an SQL statement accesses a smart-**large-object**, the **database** server does not
send the actual **BLOB** or **CLOB** data. Instead, it establishes a pointer to ...
publib.boulder.ibm.com/infocenter/idshelp/v10/topic/com.ibm.sqlr.doc/sqlrmst140.htm - 11k
- <u>Cached</u> - <u>Similar pages</u>

Object-Relational **Databases**
Simple **large objects** do not support **random access** to the data. When you transfer a
simple large object between a client application and the **database** server, ...
publib.boulder.ibm.com/infocenter/idshelp/v10/topic/com.ibm.gsg.doc/gsg119.htm - 18k -
<u>Cached</u> - <u>Similar pages</u>
[<u>More results from publib.boulder.ibm.com</u>]

Using **Large Objects**
First, there is Red Hat **Database's Large Object (LOB)** extension. ... The **LOB** Extension
API provided by PostgreSQL allows for **random access** within LOBs, ...
www.redhat.com/docs/manuals/**database**/RHDB-2.1-Manual/prog/jdbc-lo.html - 19k -
<u>Cached</u> - <u>Similar pages</u>

Using **Large Objects**
In Red Hat **Database, Large Objects** (also known as **LOBs**) are used to hold data, ... The
LOB Extension API provided by PostgreSQL allows for **random access** ...
www.redhat.com/docs/manuals/**database**/RHDB-7.1.3-Manual/prog/jdbc-lo.html - 12k -
<u>Cached</u> - <u>Similar pages</u>
[<u>More results from www.redhat.com</u>]

[PDF] Managing **Databases** with Binary **Large Objects**
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Improving **database** performance for **large object ... objects** showed that **random access**
to the **LOB. object** is the most common. Thus the **LOB object** ...
storageconference.org/1999/1999/papers/18shapir.pdf - <u>Similar pages</u>

[PDF] Managing **databases** with binary **large objects** - Mass Storage ...
File Format: PDF/Adobe Acrobat
manipulate very **large** data **objects (LOB)** provides. a sigmfkant challenge for relational
databases. Improving **database** performance for **large object** ...
ieeexplore.ieee.org/iel5/6730/17998/00830036.pdf - <u>Similar pages</u>

[PDF] Schemaless XML Document Management in **Object**-Oriented **Databases**
File Format: PDF/Adobe Acrobat
schemaless XML documents in the major relational and **object**-. oriented **databases** is
limited to storing each of them as a **CLOB**. (Character **Large Object**). ...
ieeexplore.ieee.org/iel5/9755/30835/01428472.pdf?arnumber=1428472 - Similar pages
[More results from ieeexplore.ieee.org]

[PPT] Mirror, Mirror on the Wall, What is the Best <XML> **Database** ...
File Format: Microsoft Powerpoint - View as HTML
The speaker has been working in the area of **Object Databases** for 10 years ... DOM -
random-access protocol, which converts an XML document into a collection ...
www10.org/dday/chaudhri.ppt - Similar pages

UW-Milwaukee: I&MT: Common IT Acronyms
CLOB, character **large object**. COM, common **object** model [Microsoft]. COM+, common
object model, ... ORDBMS, **object**-relational **database** management system ...
https://www3.uwm.edu/IMT/help/glossary/acronyms.cfm - 39k - Cached - Similar pages

UW-Milwaukee: I&MT: Common IT Acronyms
BLOB, binary **large object**. BOA, basic **object** adapter [CORBA] ... ORDBMS, **object**-
relational **database** management system. OS, operating system ...
https://www3.uwm.edu/IMT/help/glossary/acronyms.cfm?printformat=TRUE - 35k -
Cached - Similar pages
[More results from https://www3.uwm.edu]

8 New SQL Types
LOCATOR(**clob**)-locator to Character **Large Object** in server. A REF value persistently
denotes an instance of a structured type that resides in the **database**. ...
java.sun.com/j2se/1.3/docs/guide/jdbc/spec2/jdbc2.1.frame8.html - 19k -
Cached - Similar pages

Large Objects
Normally, client code would use the **BLOB** methods to access **large objects**. However,
sometimes lower level access to **Large Objects** is required, ...
doc.postgresintl.com/jdbc/ch09s03.html - 11k - Cached - Similar pages

Call Level Interface Guide and Reference
A **LOB** locator is a mechanism that allows an application program to manipulate a **large
object** value in an efficient, **random access** fashion. ...
www.pdc.kth.se/doc/SP/manuals/db2-5.0/html/db2l0/db2l066.htm - 10k -
Cached - Similar pages

OpenLink Virtuoso: Open-Source Edition: Main.VOSEngine
Virtuoso supports character, wide character, binary and XML **large objects**. When a row
has a **LOB** column, the contents of the **LOB** column are in-lined on the ...
virtuoso.openlinksw.com/wiki/main/Main/VOSEngine - 16k - Cached - Similar pages

DE3A857A5FFB11DA923AF0924C194AED Cluster Main %VOSNAV% ---++ ...
---+++ **Large Objects** Virtuoso supports character, wide character, binary and XML **large
objects**. When a row has a **LOB** column, the contents of the **LOB** column ...
virtuoso.openlinksw.com/wiki/main/Main/VOSEngine?command=text - 6k -
Cached - Similar pages
[More results from virtuoso.openlinksw.com]

Introduction to LOBs
Oracle9i Application Developer's Guide - **Large Objects** (LOBs) Release 2 (9.2) ... **BLOB**,
CLOB, and NCLOB data is stored out-of-line inside the **database**. ...

www.lc.leidenuniv.nl/awcourse/oracle/appdev.920/a96591/adl01int.htm - 34k -
Cached - Similar pages

Native Datatypes
LOBs support **random access** to data, but LONG s support only sequential access. **LOB**
datatypes (except NCLOB) can be attributes of a user-defined **object** type ...
www.lc.leidenuniv.nl/awcourse/oracle/server.920/a96524/c13datyp.htm - 99k -
Cached - Similar pages
[More results from www.lc.leidenuniv.nl]

[PDF] Hierarchical Storage Support and Management for **Large**-Scale ...
File Format: PDF/Adobe Acrobat
Since linear storage of those MDDs as binary **large**. **objects** (BLOB) makes ... Hard disks
have fast **random access**, whereas tape systems have sequential access ...
www.springerlink.com/index/FUD3Q2BXQGMR9YWN.pdf - Similar pages

[PDF] VDBMS: A testbed facility for research in video **database** benchmarking
File Format: PDF/Adobe Acrobat
The second approach views video as a binary **large** ob-. ject (BLOB) whose content is ... as
a first-class **database object**. This functionality cannot be ...
www.springerlink.com/index/3066EE585JCL3W3L.pdf - Similar pages

DBAzine.com: Using Multiple Block Sizes in Oracle9i
Segregate **random access** reads - For those **databases** that fetch small rows ... Segregate
LOB column tables - For those Oracle tables that contain raw, ...
www.dbazine.com/oracle/or-articles/burleson2 - 36k - Cached - Similar pages

[PDF] Optimized Management of **Large**-Scale Data Sets Stored on Tertiary ...
File Format: PDF/Adobe Acrobat
object (BLOB) in the underlying relational DBMS. ... research interests include **database**
systems specialized for **large**-scale multidimensional-array data, ...
csdl.computer.org/comp/mags/ds/2004/05/o5001.pdf - Similar pages

DBAsupport.com : Oracle 9i Central : Storing Word Documents in Oracle
Used to point at **large objects** that are external to the **database** and in operating system
files. ... You can perform **random access** to the **LOB** data. ...
www.dbasupport.com/oracle/ora9i/storing_word_docs.shtml - 55k - Cached - Similar pages

6. Advanced Features
If you have a production **database** using the 'lo' type/domain declared in a different ... The
pgExpress Driver can read **Large Object (BLOB)** fields without ...
www.vitavoom.com/Products/pgExpress_Driver/docs/advanced_features.html - 43k -
Cached - Similar pages

Computer program product and apparatus for retrieval of OLE ...
(d) retrieving an OLE-enabled Binary **Large Object (BLOB)** from the RDBMS server ...
random access memory (RAM), fixed and/or removable data storage devices, ...
www.freepatentsonline.com/6078920.html - 40k - Cached - Similar pages

Approach for managing access to **large objects** in **database** systems ...
A method and system for accessing a **large object (LOB)** that belongs to a cell in a ...
Computer system 100 further comprises a **random access** memory (RAM) or ...
www.freepatentsonline.com/6061678.html - 125k - Cached - Similar pages
[More results from www.freepatentsonline.com]

Content Log: Content Storage in Alfresco
Trying to support this protocol on top of a **database BLOB** would require constant ... or
CLOBs (Character **Large Object**), even if they support these **objects**. ...

newton.typepad.com/content/2006/09/content_storage.html - 26k - <u>Cached</u> - <u>Similar pages</u>

Teach Yourself Oracle 8 In 21 Days -- Appendix D -- Glossary
BLOB (Binary **Large** Data)--A **large** amount of binary data stored within an Oracle
database. **BLOB** data can consist of audio, video, images, documents, ...
www4.dogus.edu.tr/bim/bil_kay/dbase/oracle8/apd.htm - 32k - <u>Cached</u> - <u>Similar pages</u>

Abbreviations and Acronyms
CLOB. character **large object**. COM. common **object** model [Microsoft]. CORBA. common
object request broker architecture [OMG]. DB. **database ...**
www.camden.rutgers.edu/HELP/Documentation/Oracle/java.815/a64683/acronyms.htm -
43k - <u>Cached</u> - <u>Similar pages</u>

JORA: Java **Object** Relational Adapter
If you have **large** number of tightly linked **objects**, it is often very inconvenient ... will be
packed and placed in **database BLOB** field using standard Java ...
www.garret.ru/~knizhnik/Jora-1.02/ReadMe.html - 19k - <u>Cached</u> - <u>Similar pages</u>

[PS] Contents List of Tables 1 Introduction 2 How it works
File Format: Adobe PostScript - <u>View as Text</u>
possible to perform **random access** to selected **objects**. It is possible to limit size ... will be
packed and placed in **database BLOB** eld using standard Java ...
www.garret.ru/~knizhnik/Jora-1.02_ReadMe.ps.gz - <u>Similar pages</u>

PostgreSQL: Documentation: Manuals: PostgreSQL 7.4: JDBC API
This will return an instance associated with the **database** connection that you ... Normally,
client code would use the **BLOB** methods to access **large objects**. ...
www.postgresql.org/docs/7.4/interactive/jdbc-ext.html - 47k - <u>Cached</u> - <u>Similar pages</u>

Chapter 3: Handling Smart **Large Objects**
To access an existing smart **large object** in the **database**, ... can select an LO handle of a
smart **large object** from a **CLOB**, **BLOB**, or opaque-type column. ...
www-306.ibm.com/software/data/informix/pubs/library/datablade/dbdk/dapi/03.fm5.html -
32k - <u>Cached</u> - <u>Similar pages</u>

Chapter 2: Data Types
When you access a smart-**large-object** column with an SQL statement, the **database**
server does not send the actual **BLOB** or **CLOB** data. Instead, it establishes a ...
www-306.ibm.com/software/data/informix/pubs/library/datablade/dbdk/sqlr/02.fm5.html - 12k
- <u>Cached</u> - <u>Similar pages</u>

[PDF] Grid Forum Data Access Working Group: Remote Data Access ...
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
In **large-object**. **(LOB) database** systems, SRB supports file-type access to ... Legion
BasicFilesObjects are represented as a **random-access** linear array of ...
www.ggf1.nl/abstracts/DATA/data-GGF1RemoteDataAccess.PDF - <u>Similar pages</u>

[PDF] COMPCON'97: Bringing **Objects** to the Mainstream
File Format: PDF/Adobe Acrobat
LOB Types. A **LOB** is a **Large Object** type that allows for. efficient storage and
manipulation of **large**, ... tends to be **large** and requires **random access** to ...
doi.ieeecomputersociety.org/10.1109/CMPCON.1997.584686 - <u>Similar pages</u>

Märtens, Holger; Rahm, Erhard: On Parallel Join Processing in ...
Our performance study is based on simulation and uses **database** characteristics from the
BUCKY benchmark featuring **large** sets of **objects** in comparatively ...
lips.informatik.uni-leipzig.de/pub/2001-9 - 29k - <u>Cached</u> - <u>Similar pages</u>

Allocating Oracle **Objects** Multiple RAM Data Buffers
Segregate **random access** reads: For those **databases** that fetch small rows randomly ...
Segregate **LOB** column tables: For those Oracle tables that contain raw, ...
www.rampant-books.com/t_rssd_2_segregate_allocating_**objects**.htm - 26k -
Cached - Similar pages

Microsoft Enterprise Platform for Mainframe Professionals: Appendix B
Component **Object** Model. DACL. Discretionary Access Control List ... Very **Large**
Database. VM. Virtual Machine. VPN. Virtual Private Network ...
www.microsoft.com/technet/itsolutions/cits/interopmigration/mainframe/msepmp_12.mspx -
29k - Cached - Similar pages

Microsoft Enterprise Platform for UNIX Pros: Acronyms
Random Access Memory. RDBMS. Relational **Database** Management System. RIS.
Remote Installation Services ... Very **Large Database**. VPN. Virtual Private Network ...
www.microsoft.com/technet/itsolutions/
cits/interopmigration/enterpriseunix/imsepunixp_9.mspx - 25k - Cached - Similar pages

DataDirect Connect for JDBC User's Guide and Reference
The case-sensitive password used to connect to your Sybase **database**. ... **Large Object**
(LOB) Support. Although Sybase does not define a **BLOB** or **CLOB** data ...
media.datadirect.com/download/docs/connectsqlxml/jdbcug/jdbcsyb.htm - 16k -
Cached - Similar pages

DataDirect Connect for JDBC User's Guide and Reference
A case-insensitive password used to connect to your SQL Server **database**. ... **Large**
Object (LOB) Support. Although SQL Server does not define a **BLOB** or **CLOB** ...
media.datadirect.com/download/docs/connectsqlxml/jdbcug/jdbcsqls.htm - 21k -
Cached - Similar pages

[PS] Ecient Handling of Tuples with Embedded **Large Objects**
File Format: Adobe PostScript - View as Text
Open(id) The **LOB** denoted by the unique persistent **object** identier id is opened by ... An
ecient **database** storage structure for **large** dynamic **objects**. ...
www.informatik.fernuni-hagen.de/import/pi4/papers/FLOBs-Report.ps.gz - Similar pages

[PDF] E cient Handling of Tuples with Embedded **Large Objects** 1 Introduction
File Format: PDF/Adobe Acrobat - View as HTML
ref **LOB**. Signature 1: **Large Object**. Signature 1 depicts the operations that we assume to
be ... Proceedings of the 15th Conference on Very **Large Databases** ...
www.informatik.fernuni-hagen.de/import/pi4/papers/FLOBs.pdf - Similar pages

[PDF] Netlobs data cartrid#1685AF.ppt
File Format: PDF/Adobe Acrobat - View as HTML
Binary **Large Object (BLOB)** called a Netlob (NetCDF. **Large Object**):. Provides NetCDF
file capability to a **database**. Encapsulates data and metadata in single ...
www.mad.zmaw.de/fileadmin/extern/
workshops/data_workshop_2006/HMD_netlobs_Ag.pdf - Similar pages

The Sybase Driver
To connect to a Sybase **database**, use the following URL format: ... **Large Object (LOB)**
Support. Although Sybase does not define a **Blob** or **Clob** data type, ...
e-docs.bea.com/wls/docs90/jdbc_drivers/sybase.html - 41k - Cached - Similar pages

The MS SQL Server Driver
To connect to a Microsoft SQL Server **database**, use the following URL format: ... **Large**
Object (LOB) Support. Although Microsoft SQL Server does not define a ...

e-docs.bea.com/wls/docs92/jdbc_drivers/mssqlserver.html - 82k - Cached - Similar pages
[More results from e-docs.bea.com]

Oracle High Availability
Dropping, or deleting, **database objects** by accident is a mistake people have, ... Backing
up a **large database** system is no simple task. A **large database** can ...
www.oracle.com/technology/deploy/availability/htdocs/ha_overview.htm - 72k -
Cached - Similar pages

[PDF] Implementing SQL:1999 **Large Object** Support in Oracle Rdb
File Format: PDF/Adobe Acrobat - View as HTML
One of the first **database** systems to. support. **LOB**. data types (**large** meaning ... SCROLL
(**random access**) to read data. –. Area failover support ...
www.oracle.com/technology/products/
rdb/pdf/2002_tech_forums/rdbtf_2002_sql1999_lrgobj.pdf - Similar pages
[More results from www.oracle.com]

Oracle Multiple RAM data Buffers
Segregate **random access** reads: For those **databases** that fetch small rows ... Segregate
Locator **Object (LOB)** column tables: For those Oracle tables that ...
www.oracle-training.cc/t_oracle_multiple_buffers.htm - 32k - Cached - Similar pages

ORACLE - DBA Tips Corner
Significant changes, although, where made in Oracle8 with the introduction of the **Large**
Object (LOB) datatypes. Oracle introduced LOBs to support the ...
www.idevelopment.info/data/Oracle/DBA_tips/**LOB**s/**LOBS**_1.shtml - 19k -
Cached - Similar pages

Program with Informix .NET extensions
The **BLOB** and **CLOB** Informix data types support **random access** to the data. ... If you
have the smart **large object** locator of a **BLOB** or **CLOB** you can access the ...
www-128.ibm.com/developerworks/db2/library/techarticle/dm-0503padmanabhan/ - 58k -
Cached - Similar pages

Department of Computer and Information Science and Engineering
002: Structured **Large Objects** in **Databases** ... to provide **random access** to the
components of a complex application **object** without knowing their meaning. ...
www.cise.ufl.edu/tech_reports/tr06/ - 23k - Cached - Similar pages

Mailing list archives
... efficient Derby implementation of the getBytes **LOB** methods that provide "**random-**
access" to the binary // character content of **database large objects**. ...
mail-archives.apache.org/mod_mbox/db-derby-dev/200606.mbox/%
3C28223347.1149266311168.JavaMail.jira@brutus%3E - 7k - Cached - Similar pages

Managing Blobs Using The ATL OLE DB Consumer Templates on the ...
Managing **large** data types on SQL CE **databases** and the ATL OLE DB Consumer ...
object allows you to do the same thing but uses a **random access** approach. ...
www.codeproject.com/ce/atl_ole_db_blob_ppc.asp - 57k - Cached - Similar pages

A POWERFUL ISAM FILE MANAGER
Since a sequential search is time consuming, a **random access** is the ... The term **BLOB**,
Binary **Large OBject**, is commonly used to refer to very **large** text or ...
www.co-soft.com/manual/12.htm - 33k - Cached - Similar pages

Basic DB2 UDB Performance Tuning, Part 3
For best performance, make **database objects** the target of your attention. ... that performs
many **random access** operations against a very **large** table, ...

www.db2mag.com/story/showArticle.jhtml?articleID=17602321 - 41k -
Cached - Similar pages

Native OLE DB Provider for InterBase and Firebird SQL Servers ...
IBProvider represents a powerful **object**-oriented low-level client API for work with
InterBase and Firebird. Integrating into **database** applications, ...
www.ibprovider.com/ - 13k - Cached - Similar pages

[PPT] Nessun titolo diapositiva
File Format: Microsoft Powerpoint - View as HTML
Blob. Blob. DataBase Objects. Blob: a sequence of bytes. ... Fully transparent I/O with
performances essentially limited by the disk speed **(random access)**. ...
wwwasd.web.cern.ch/wwwasd/cernlib/rd45/chep98/vindbpanel.ppt - Similar pages

oreilly.com – Online Catalog: Python Cookbook, Second Edition
7.6 Pickling Code **Objects** 7.7 Mutating **Objects** with shelve 7.8 Using the Berkeley DB
Database 7.9 Accesssing a MySQL **Database** 7.10 Storing a **BLOB** in a MySQL ...
www.oreilly.com/catalog/pythoncook2/toc.html - 39k - Cached - Similar pages

I/O Configuration and Design
Oracle9i **Database** Performance Tuning Guide and Reference ... If the rows are **large**–for
example, if they contain **large object (LOB)** data–then choose a ...
saturn.uab.es/server.920/a96533/iodesign.htm - 80k - Cached - Similar pages

9 Maintenance and Tuning
All documents are stored as Binary **Large Objects** (BLOBs), which is one type of **LOB**
provided by the **database**. See "Provide Adequate Storage to Improve ...
www.ncsu.edu/it/essentials_dev/oracle_docs/B13866_01/files.904/b10872/sysmain.htm -
38k - Cached - Similar pages

[PDF] Hierarchical Storage Support and Management for **Large**-Scale ...
File Format: PDF/Adobe Acrobat - View as HTML
Since linear storage of those MDDs as binary **large objects** ... because every tile is stored
as one single **BLOB** in the relational **database** system. This ...
www.abayfor.de/fv/forwiss/downloads/B0000034.pdf - Similar pages

[PDF] download presentation pdf format here
File Format: PDF/Adobe Acrobat - View as HTML
Try to minimize # of **objects** in **database**. Use 32K pieces for **large databases** ... **Large**
tablespaces w/**random access**. Small frequently updated tables and IX's ...
www.quest.com/quest_central_for_db2/pdfs/Managing_DB2_Performance.pdf -
Similar pages

Dr. Dobb's | Embedded **Databases** | November 6, 2002
In this example, given an Owner **object**, the **database** layer could determine a set of ...
However, with a purely **random access** pattern and a **large database**, ...
www.ddj.com/184405226 - 55k - Cached - Similar pages

Dr. Dobb's | Embedded **Databases** | November 6, 2002
In Figure 2, an example of how a graph of three related **objects** gets persisted in ...
However, with a purely **random access** pattern and a **large database**, ...
www.ddj.com/dept/**database**/184405226 - 55k - Cached - Similar pages

A Close Look at the Compact XML Schema-Aware XML Processing Framework
The existing Oracle XML DB storage is either on LOBs or **object**-relational tables. **LOB**
storage is slow to process because it requires XML parsing before any ...
www.idealliance.org/proceedings/xml05/ship/57/xml2005_57.XML - 17k -
Cached - Similar pages

Abbreviations and Acronyms
BLOB. binary **large object**. BOA. basic **object** adapter [CORBA] ... **Object Database**
Management Group. OEM. original equipment manufacturer ...
www.mid.main.vsu.ru/docs/oracle/java.816/a81356/acronyms.htm - 46k -
Cached - Similar pages

[PPT] Introduction to IBM DB2 UDB
File Format: Microsoft Powerpoint - View as HTML
Server installation: the amount of **random-access** memory (RAM) that required ... DB2
UDB Enterprise Edition is designed for **large databases** with many users. ...
giscenter.isu.edu/training/ppt/it4gis/week11-Introduction%20to%20IBM%20DB2%
20UDB.ppt - Similar pages

ORACLE-BASE - Articles on Oracle 9i new features
Metadata API - Extract DDL or XML definitions of all **database objects** using ... Export
BLOB Contents Using UTL_FILE - Use the new UTL_FILE functionality to ...
www.oracle-base.com/articles/9i/Articles9i.php - 39k - Cached - Similar pages

Glossary
BLOB. Binary **large object. Large objects** are stored in the **database** ... This is based on a
random access requirement that an I-frame (starting point) is ...
download-east.oracle.com/otn_hosted_doc/intermedia/inter.816/a67296/im_glos.htm - 32k -
Cached - Similar pages

[PDF] DB2 Universal **Database** Enterprise Server Edition V8.1
File Format: PDF/Adobe Acrobat
long data (long varying-length character data or **large object [LOB]** data) are referred to
as ... If you have an application that performs many **random access** ...
www.netapp.com/library/tr/3290.pdf - Similar pages

ItemSpace Data Structures for the Infinity **Database** Engine B-Tree
In principle, there can be **random access** over a **CLOB** or **BLOB** but this has ... used by an
Object-Oriented **Database** may bring **large** or unpredictable amounts ...
boilerbay.com/infinitydb/ItemSpaceDataStructures.htm - 191k - Cached - Similar pages

Release 8.0 New Features and Options
Very **large databases** present significant challenges for administrators and ... be an
attribute of an **object**. You can also have more than one **LOB** per table. ...
www.csee.umbc.edu/help/oracle8/server.815/a68020/ch3.htm - 48k -
Cached - Similar pages

Built-In Datatypes
LOBs support **random access** to data, but LONGs support only sequential access. **LOB**
datatypes (except NCLOB) can be attributes of a user-defined **object** type ...
www.csee.umbc.edu/help/oracle8/server.815/a67781/c10datyp.htm - 86k -
Cached - Similar pages
[More results from www.csee.umbc.edu]

[Chapter 4] 4.2 Scalar Datatypes
Use the **BLOB** datatype to store **large** binary **objects** "out of line" inside the **database**. This
means that when a table has a **BLOB** column, a row of data for ...
www.unix.org.ua/orelly/oracle/prog2/ch04_02.htm - 79k - Cached - Similar pages

Oracle multiple blocksizes benefits
For example, Oracle indexes and Oracle **large object** data types (**BLOB, CLOB**) perform
best with **large** block sizes; **random access** of small data rows do best ...
www.dba-oracle.com/art_tr_multiblock.htm - 54k - Cached - Similar pages

[PDF] COPYRIGHTED MATERIAL
File Format: PDF/Adobe Acrobat - View as HTML
Character **Large** Binary **Object (CLOB)**. DB2 **database**, 442–444. overview, 261 ... RAM
(Random Access Memory), 143. RAW mode, FOR XML clause, 169–173 ...
media.wiley.com/product_data/excerpt/02/04717912/0471791202-1.pdf - Similar pages

Oracle9iFeatures | Info | LTS
LOB Data Types. Until Oracle8 **Large Objects** (unstructured data) could be stored in the
database by using the LONG and LONG RAW datatypes. ...
web.brandeis.edu/pages/view/Info/Oracle9iFeatures - 20k - Cached - Similar pages

share*it! - A service of Digital River - IBProvider (Corporate ...
Support of reading & writing **BLOB**-fields through the streams. ... As all the resources for
work with the **database** are presented as COM-**objects**, ...
www.shareit.com/product.html?productid=173591&
languageid=1&stylefrom=173566&currencies=EUR - 29k - Cached - Similar pages

Managing Oracle **Databases** on the Web
Character **Large OBject (CLOB)**, Refers to the **LOB** data type whose value is composed of
character data corresponding to the **database** character set. ...
www.watchit.com/PGDSCR.cfm?c_acronym=MOWE&programPageDisplay=Glossary -
334k - Cached - Similar pages

[PDF] Optimized Management of **Large**-Scale Datasets stored on Tertiary ...
File Format: PDF/Adobe Acrobat - View as HTML
every tile is stored as one single Binary **Large Object (BLOB)** in the underlying ... Hard
disks have fast **random access**, whereas tape systems have sequential ...
www.wibas.forwiss.tu-muenchen.de/wibas/
db/webcon/wibasdb/download/52/application/pdf.pdf - Similar pages

[PDF] **Database** Family - DataSheet (2006-10-13)
File Format: PDF/Adobe Acrobat - View as HTML
arrays, structures and arrays within structures). Support for **large object** data **(BLOB**
fields). SQL-Defined and/or non-SQL **databases** ...
ipzone.net/**database**/collaterals/**Database**%20Family%20-%20DataSheet%20(2006-10-
13).pdf - Similar pages

RE: jdbc **large object** support ??
Stream support is simply passing an InputStream (say from a file) directly > to a **large**
object in the **database**. The ImageViewer example shows the other ...
archives.postgresql.org/pgsql-interfaces/2000-07/msg00170.php - 14k -
Cached - Similar pages

Re: **BLOB** Feature Limits
I would presume this to meant that a **large object** has no finite size limitation apart from the
database itself exceeding disk space limits. ...
archives.postgresql.org/pgsql-sql/2002-04/msg00287.php - 14k - Cached - Similar pages

The MS SQL Server Driver
Note: If you are installing stored procedures on a **database** server with ... **Large Object**
(LOB) Support. Although Microsoft SQL Server does not define a **Blob** ...
edocs.bea.com/wls/docs81/jdbc_drivers/mssqlserver.html - 74k - Cached - Similar pages

The National Archives | NDAD | Glossary|
Binary **Large Object (BLOB)**. Binary **large object**. A term used in more modern **databases**
which are able to store information such as images, sound or video as ...
www.ndad.nationalarchives.gov.uk/help/glossary.html - 52k - Cached - Similar pages

IngentaConnect Gaitbase - an integrated relation...nagement of ...
Gaitbase - an integrated relational **database** for the management of gait laboratory ...
distribution data are stored in binary-**large-object (BLOB)** fields. ...
www.ingentaconnect.com/content/els/09666362/1995/00000003/00000002/art93470 -
Similar pages

Python Cookbook, 2nd Edition - O'Reilly Labs
Pickling Code **Objects**. Mutating **Objects** with shelve. Using the Berkeley DB **Database**.
Accessing a MySQL **Database**. Storing a **BLOB** in a MySQL **Database** ...
labs.oreilly.com/stats/detail.xqy?fpi=0596007973 - 61k - Cached - Similar pages

Glossary
The two control blocks Adabas assigns to each **database**. ... Adabas stores **large object**
field values in a separate file, called a **LOB** file, that is tightly ...
documentation.softwareag.com/adabas/ada812mfr/adamf/general/glossary.htm - 95k -
Cached - Similar pages

Best Practices for Using ADO.NET
This allows for **random access** of columns within the current row. ... When using the
DataReader to retrieve a Binary **Large Object (BLOB)**, you should pass ...
msdn2.microsoft.com/en-us/library/ms971481.aspx - 62k - Cached - Similar pages

LOB locators in CLI applications
A **LOB** locator is a token value, defined as type SQLINTEGER, that allows for efficient
random access of a **large object**. When a **LOB** locator is used, ...
db2.mi.hdm-stuttgart.de/db2help/help/
topic/com.ibm.db2.udb.apdv.cli.doc/doc/c0007842.htm - 9k - Cached - Similar pages

Orri Erling's Weblog
This is also the index with the more **random access**, so the benefit is compounded in ...
This was different from just storing **object** serializations into **LOB** ...
www.openlinksw.com/weblog/oerling/ - 104k - Cached - Similar pages

Random Access Files in databases
1) Can I make **random access** to the data in a **database** file the same ... is text and you
store it in a **CLOB (Character Large OBject)** datatype, you ...
www.velocityreviews.com/forums/t147377-**random-access**-files-in-**databases**.html - 50k -
Cached - Similar pages

PHPBuilder.com, the best resource for PHP tutorials, templates ...
Postgres has a '**Large Object**' type, and has had it since 4.x. ... but an the **object** is indexed
so **random access** can be performed sub-sections of the **object**. ...
www.phpbuilder.com/annotate/message.php3?id=1000103 - 82k - Cached - Similar pages

Webcentre Ltd FAQ
Put the TCompress **object** on your Data Module with your tables. ... If you are not using the
database blob compression components (CDBMemo etc), ...
www.spis.co.nz/faq.htm - 19k - Cached - Similar pages

New Features and Options
The **Object Database** Designer offers **object** support in a design tool. ... **LOB** functionality
is available with both Oracle8 and the Oracle8 Enterprise Edition ...
www.cse.unsw.edu.au/~oracle/Oracle8_doc/DOC/server.804/a58228/ch2.htm - 47k -
Cached - Similar pages

26 Native Datatypes
Oracle **Database** Application Developer's Guide - **Large Objects** for more ... Oracle to

provide efficient character-based **random access** on CLOBs and NCLOBs. ...
dba-services.berkeley.edu/docs/oracle/manual-10gR2/server.102/b14220/datatype.htm -
93k - Cached - Similar pages

DBPD: Multimedia **Databases** Through the Looking Glass
Many SQL **database** systems support the storage of ADTs in binary **large objects**, or
BLOBs; the works-in-progress ANSI SQL3 standard supports ADTs stored as ...
www.dbpd.com/vault/9705davd.htm - 40k - Cached - Similar pages

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Try Google Desktop: search your computer as easily as you search the web.

| large database object LOB "random | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

PORTAL

USPTO

Search: (• The ACM Digital Library   (The Guide

| +blob "read blob" "reading blob" "without lock" "without lockin | SEARCH |

THE ACM DIGITAL LIBRARY

i⁴ Feedback Report a problem Satisfaction
survey

Terms used **blob read blob reading blob without lock without locking**

Found **4** of **390** searched out of **789**.

Sort results by [relevance ▼]

Display results [expanded form ▼]

🔖 Save results to a Binder

❓ Search Tips

☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 4 of 4

Relevance scale ☐ ⬓ ⬓ ⬛ ⬛

1 Unix RDBMS: the next generation what are the Unix relational-database vendors
doing to survive in the next generation of client/server environments
Bill Rosenblatt
December 1994 **ACM SIGMOD Record**, Volume 23 Issue 4
Publisher: ACM Press
Full text available: 📄 pdf(1.26 MB)   Additional Information: full citation, index terms

2 A publish/subscribe CORBA persistent state service prototype
C. Liebig, M. Cilia, M. Betz, A. Buchmann
April 2000 **IFIP/ACM International Conference on Distributed systems platforms**
Publisher: Springer-Verlag New York, Inc.
Full text available: 📄 pdf(283.92 KB)   Additional Information: full citation, abstract, references, citings

An important class of information dissemination applications requires 1:n communication
and access to persistent datastores. CORBA's new Persistent State Service combined with
messaging capabilities offer the possibility of efficiently realizing information brokers
between data sources and CORBA clients. In this paper we present a prototype
implementation of the PSS that exploits the reliable multicast capabilities of an existing
middleware platform. This publish/subscribe architecture makes ...

3 Web3D in ocean science learning environments: virtual big beef creek
Bruce Campbell, Paul Collins, Hunter Hadaway, Nick Hedley, Mark Stoermer
February 2002 **Proceeding of the seventh international conference on 3D Web
technology**
Publisher: ACM Press
Full text available: 📄 pdf(387.03 KB)   Additional Information: full citation, abstract, references, index terms

The Virtual Reality Modeling Language (VRML), Java 3D software development packages,
and World Wide Web (the Web) offer great potential for delivering three-dimensional,
collaborative virtual environments to broad, on-line audiences. These capabilities have
significant potential in ocean sciences, so a visualization environment was developed to
explore these possibilities. The University of Washington's Virtual Big Beef Creek (VBBC)
project has been continuously refined since its initial impleme ...

Keywords: VRML, interface paradigms, virtual environments, virtual geography, virtual

worlds

4   Beagle SQL, A Client/Server Database for Linux

Rob Klein

February 1998 **Linux Journal**

Publisher: Specialized Systems Consultants, Inc.

Full text available: 📄 html(13.57 KB)   Additional Information: full citation, abstract, index terms

> Mr. Klein introduces us to a database called Beagle SQL that he developed as a learning experience

Results 1 - 4 of 4

Useful downloads: 📄 Adobe Acrobat   ⓠ QuickTime   Windows Media Player   Real Player